

Package: JAGStree (via r-universe)

November 12, 2024

Type Package

Title Automatically Write 'JAGS' Code for Hierarchical Bayesian Models
on Trees

Version 1.0.1

Maintainer Mallory J Flynn <mallory.flynn@stat.ubc.ca>

Description When relationships between sources of data can be represented by a tree, the generation of appropriate Markov Chain Monte Carlo modeling code to be used with 'JAGS' to run a Bayesian hierarchical model can be automatically generated by this package. Any admissible tree-structured data can be used, under the assumption that node counts are multinomial and branching probabilities are Dirichlet among sibling groups. The methodological basis used to create this package can be found in Flynn (2023) <<http://hdl.handle.net/2429/86174>>.

License GPL (>= 2)

URL <https://github.com/malfly/JAGStree>

Depends R (>= 4.3.0)

Imports data.tree, gtools, mcmcplots, stats, R2jags, tidyverse,
DiagrammeR, AutoWMM

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

Encoding UTF-8

LazyData true

RoxygenNote 7.3.1

VignetteBuilder knitr

Config/testthat/edition 3

Config/pak/sysreqs libfontconfig1-dev libfreetype6-dev libfbribidi-dev
libglpk-dev make libharfbuzz-dev jags libicu-dev libjpeg-dev
libpng-dev libtiff-dev libxml2-dev libssl-dev libx11-dev
zlib1g-dev

Repository <https://malfly.r-universe.dev>

RemoteUrl <https://github.com/malfly/jagstree>
RemoteRef HEAD
RemoteSha 6476c576be4c2d4b173ed889afc70496192ac55a

Contents

| | |
|------------------------|---|
| data1 | 2 |
| data2 | 3 |
| data3 | 3 |
| makeJAGStree | 4 |

Index

7

| | |
|-------|---------------------------|
| data1 | <i>Simple Tree Data 1</i> |
|-------|---------------------------|

Description

Small, artificially generated toy data set to demonstrate package functionality

Usage

```
data(data1)
```

Format

An object of class "data.frame"

from A node label and started point of directed edge (parent node)

to A node label and endpoint of directed edge (child node)

Estimate A numerical value assumed to be survey count belonging to 'to' node (integer)

Total A numerical value assumed to be survey sample size (integer)

Count A numerical value for marginal count if leaf node (integer)

Population A boolean value for if survey size is entire population (logical)

Description A string describing 'to' node (string)

References

This data set was artificially created for the JAGStree package.

Examples

```
data(data1)
head(data1)
```

data2

Simple Tree Data 2

Description

Small, artificially generated toy data set to demonstrate package functionality with a simpler data frame

Usage

```
data(data2)
```

Format

An object of class "data.frame"

from A node label and started point of directed edge (parent node)

to A node label and endpoint of directed edge (child node)

References

This data set was artificially created for the JAGStree package.

Examples

```
data(data2)
head(data2)
```

data3

Simple Tree Data 3

Description

Small, artificially generated toy data set to demonstrate package functionality with a multinomial distribution among node branching

Usage

```
data(data3)
```

Format

An object of class "data.frame"

from A node label and started point of directed edge (parent node)

to A node label and endpoint of directed edge (child node)

Estimate A numerical value assumed to be survey count belonging to 'to' node (integer)

Total A numerical value assumed to be survey sample size (integer)

Count A numerical value for marginal count if leaf node (integer)

Population A boolean value for if survey size is entire population (logical)

Description A string describing 'to' node (string)

References

This data set was artificially created for the JAGStree package.

Examples

```
data(data3)
head(data3)
```

makeJAGStree

makeJAGStree

Description

Generates a .mod or .txt file with 'JAGS' code for Bayesian hierarchical model on tree structured data

Usage

```
makeJAGStree(data, prior = "lognormal", filename = "JAGSmodel.mod")
```

Arguments

| | |
|-----------------|---|
| data | A dataframe object representing tree-structure |
| prior | A string representing the choice of prior for the root node population size; can be set to "lognormal" (default) or "uniform" |
| filename | A string containing the file name for resulting output 'JAGS' model file; must end in .mod or .txt |

Value

A .mod or .txt file that contains code ready to run a Bayesian hierarchical model in 'JAGS' based on the input tree-structured data

Examples

```

# optional use of the AutoWMM package to show tree structure
Sys.setenv("RGL_USE_NULL" = TRUE)
tree <- makeTree(data1)
drawTree(tree)

makeJAGStree(data1, filename=file.path(tempdir(), "data1_JAGSscript.mod"))
makeJAGStree(data1, filename=file.path(tempdir(), "data1_JAGSscript.txt"))

# second example
makeJAGStree(data2, filename=file.path(tempdir(), "data2_JAGSscript.mod"))
makeJAGStree(data2, filename=file.path(tempdir(), "data2_JAGSscript.mod", prior = "uniform"))

# third example, showing optional execution with MCMC in R
makeJAGStree(data3, filename=file.path(tempdir(), "multiScript.mod"))
makeJAGStree(data3, filename=file.path(tempdir(), "multiScript.txt"))

mcmc.data <- list( "DE" = c(50, NA),
"ABC" = c(NA, 500, NA),
"pZ1" = 4,      # dirichlet parameters for prior on u
"pZ2" = 5,      # last parameter to sample U
"pZ3" = 1,
"pA1" = 10,     # beta parameters for prior on p
"pA2" = 1,
"mu" = log(1000),    # lognormal mean Z
"tau" = 1/(0.1^2))   # lognormal precision (1/variance) of Z

## define parameters whose posteriors we are interested in
mod.params <- c("Z", "ABC", "DE", "pZ", "pA")

## modify initial values
mod.inits.cont <- function(){ list("Z.cont" = runif(1, 700, 1500),
                                     "ABC" = c(round(runif(1, 100, 200)), NA, NA),
                                     "pA" = as.vector(rbeta(1,1,1)),
                                     "pZ" = as.vector(rdirichlet(1, c(1,1,1))))}

## Generate list of initial values to match number of chains
numchains <- 6
mod.initial.cont <- list()
i <- 1
while(i <= numchains){
  mod.initial.cont[[i]] <- mod.inits.cont()
  i = i+1
}

## now fit the model in JAGS
mod.fit <- jags(data = mcmc.data,
                 inits = mod.initial.cont,
                 parameters.to.save = mod.params,
                 n.chains = numchains,
                 n.iter = 500, n.burnin = 200,

```

```
model.file = "multiScript.mod")
print(mod.fit)

## plots using mcmcplots library
mod.fit.mcmc <- as.mcmc(mod.fit)
denplot(mod.fit.mcmc, parms = c("Z", "ABC[1]", "ABC[3]"))
denplot(mod.fit.mcmc, parms = c("pZ", "pA"))
traplot(mod.fit.mcmc, parms = c("Z", "ABC[1]", "ABC[3]"))
traplot(mod.fit.mcmc, parms = c("pZ", "pA"))
```

Index

* datasets

 data1, [2](#)

 data2, [3](#)

 data3, [3](#)

 data1, [2](#)

 data2, [3](#)

 data3, [3](#)

 makeJAGStree, [4](#)